

SOUL4500™



JETS – 36



SEATING – 5 seats



DIMENSIONS – 4.49 x 2.31 x 1.30m



SPECIFICATIONS

Dry weight*	1,150 kg
Water capacity	6,120 litres
Filled weight*	7,306 kg
SmartFlo™ jet pump(s)	3 x 2.5 hp
SmartFlo™ circulation pump	1
SmartFlo™ air blower	1
Electrical requirements	32 amp
Heater	5.25 KW

* Does not include optional upgrade ClearLift™ cover weight.

WARRANTIES

Frame	Lifetime
Shell structure	10yrs
Acrylic surface	5yrs
Jets, plumbing & heater	5yrs
Pumps & equipment	2yrs**

FEATURES

- FourCore™ shell construction
- SunFlex™ 'no kink' PVC plumbing
- SpaNet SV3™ control system
- SunFrame™ galvanised steel frame
- Stainless steel jets
- Wide mouth filtration
- UV automatic water steriliser
- Ozone automatic water clarifier
- SunGlow™ in-spa illumination
- SunGlow™ LED perimeter lighting
- Integrated heat pump control
- Soul™ hydrotherapy lounger

OPTIONS

- Sun & Soul™ Audio & WiFi Kit
- SpaNet™ SV Series heat pump
- Sun & Soul™ swim pole kit
- ClearLift™ cover lifter

* Conditions apply. Specifications may change without notice.
May be pictured with some options included.

To access the SOUL4500™ Plumbing Certificate/ Structural Certificate, please click or scan the QR code below.



SOUL4500™ Spa
Plumbing Certificate




SOUL4500™ Spa
Structural Certificate

To access the Sun & Soul™ Spas owner's Manual/ Audio WiFi Kit Manual/ SpaNet™ SV Series Heat Pump Installation Manual/ Sun & Soul™ Spas Warranty, please click or scan the QR code bellow.




Sun & Soul™ Spas
Owner's Manual



Sun & Soul™ Spas
Audio WiFi Kit Manual



SpaNet™ SV Series Heat
Pump Installation and
Instruction Manual




Sun & Soul™ Spas
Warranty


SOUL4500™

Optional Upgrade ClearLift™ Cover

Left-mounted opening




Right-mounted opening



If the ClearLift™ control panel is positioned on the right side of the swim spa, and the ClearLift™ cover folds to the left, it is considered a Left-Mounted ClearLift™.

Conversely, if the ClearLift™ control panel is located on the left side of the swim spa, and the ClearLift™ cover folds to the right, it is referred to as a Right-Mounted ClearLift™.





*The illustration shows Right-mounted opening, side angle view.

Note: The ClearLift™ control panel is installed at the same end as the swim spa controller keypad.

SOUL4500™

Optional Upgrade ClearLift™ Cover


Left mount, side view shown in Sun & Soul™ swim spas 1,300mm height.



SOUL4500™

Optional Upgrade ClearLift™ Cover

To access the ClearLift™ Cover Installation Manual, please click or scan the QR code below.



ClearLift™ Cover
Installation Manual